

75




Sample of 40 shingles on truck


Schwarzenstein i. d. G.

Total Est 2276594


3950
4000
1950



T. 8. N. R. 8. E. 2nd Meridian.



T. 8. N. R. 8. E. 2nd Meridian.



Township N^o VIII North of the Base Line, Range N^o VIII East of the Meridian.

Quantity to be added to the first north of Indian boundary. 3630.56

Quality of the land on the interior section lines

Between Section	Quality of.				
35. 36	Level Break sugar Maple, Gambel's, good land				
25. 26	Level & poor				
25. 26	Rolling, Birch poplar ash &c				
24. 25	3. Heavy timber same from				
23. 24	Same				
34. 35	Part rolling, part broken. (Barn) Heavy sugar				
26. 35	Rolling timber, some good farming land				
26. 27	Level & poor				
27. 34	Same				
33. 34	Same				

Township N 3. North, Range N 8 East (2. W)

Interior Section or Corner

Interior Quarter Section Corners

Section Corner	Bearing trees	Under diam.	Course by bear	Link dist.	Locality of the Site	Section Corner	Bearing trees	Under diam.	Course by bear	Link dist.	Locality of the Site	Section Corner	Bearing trees	Under diam.	Course by bear	Link dist.
A	Beech	22	S 65 E	29		25, 26, 35, 36	Beech	24	S 35 E	40	ht. Oak	1	Beech	24	N 45 W	12
a	do	5	S 35 W	7			do	18	S 65 W	19		do	12	S 29 E	18	
B	Beech	13	S 10 E	15		23, 24, 25, 26	do	6	N 72 W	13		2	Beech	20	S 37 E	40
b	do	27	S 37 E	13		26, 27, 34, 35	do	16	N 81 E	3		3	do	17	N 38 W	16
C	Sugar	5	S 37 E	13			Beech	20	S 65 E	2		3	Sugar	9	S 52 W	8
c	do	35	S 14 W	47			do	8	S 80 W	11		4	do	3	N 7 E	27
D	Beech	13	S 30 W	13			do					5	do	20	S 84 E	34
d	do	10	S 24 E	17			do					6	do	12	S 28 W	11
E	Beech	10	S 30 W	36			do					7	do	7	S 36 W	20
e	do	10	S 32 E	7			do					8	do	7	N 40 E	19
F	Beech	5	S 80 E	29			do					9	do	18	S 72 E	29
f	do	6	S 77 E	27			do					10	do	14	N 70 W	26
G	Sugar	15	S 14 W	32			do					11	do	6	S 3 W	23
g	Beech	14	S 80 E	28			do					12	do	6	N 5 E	39
H	Beech	9	S 67 W	9	From Pt. I, Rollingwood, Beech		do					13	Sugar	15	N 58 E	20
h	do	8	S 67 E	19	from oak ash		do									
i	Beech	7	S 89 E	37			do									
I	do	15	S 89 W	34			do									
J	Beech	9	N 87 E	7	to K, same		do									
j	do	24	N 59 W	39			do									
K	Beech	24	N 85 E	15			do									
K	do	11	N 77 W	11			do									
L	Beech	15	N 82 E	18	to L, Flat, Beech, Maple		do									
L	do	10	S 50 W	25	from oak		do									
M	Sugar	40	N 25 E	24			do									
M	Beech	5	S 35 W	13			do									
N	Beech	30	S 65 W	6	to M, Rolling Beech oak		do									
N	do	14	S 38 E	22	sugar fi.		do									
O	do	60	S 23 E	25			do									
P	do	16	N 14 W	14			do									
Q	Beech	20	West	13	to N, same		do									
Q	do	24	S 14 E	25			do									
R	Beech	6	N 49 W	25			do									
R	do	6	S 44 E	26			do									
S	Sugar	13	S 56 W	10	to O, do		do									
S	do	13	S 76 E	19			do									
T	do	17	N 72 W	23			do									
U	do	8	N 63 E	18			do									
V	do	20	N 15 E	18	to P, do		do									
W	Beech	7	S 50 E	20			do									
X	Beech	6	N 41 E	31			do									
Y	do	6	S 31 W	19			do									
Z	Sugar	13	N 28 E	34	to Q, do		do									
aa	Beech	5	S 51 W	11			do									

Township N. 8 E. Range N. 8 E. Sec. 21

Indian Reservation


[Indiana]

21

		Sec	Cont	Ac	P.C.	Sec	Cont	Ac	Sec	Cont	Ac	Sec	Cont	Ac	Sec	Cont	Ac			
A	Do.	32	S 16 E	29	11	Do.	30	S 15 E	27	10	Do.	28	S 14 E	25	25, 26, 27, 28	Do.	24	S 13 E	23	10
B	Do.	5	S 35 N	7	1	Do.	10	S 35 N	7	22	Do.	17	S 29 E	18	Do.	15	S 28 E	19	19	
C	Do.	15	S 10 E	15	1	Do.	11	S 13 E	23	23	Do.	30	S 57 E	10	25, 26, 27, 28	Do.	10	S 72 E	10	10
D	Do.	27	S 29 E	13	1	Do.	11	S 13 E	23	23	Do.	17	S 28 E	16	Do.	14	S 21 E	5	5	
E	Sugar	3	S 24 E	22	21	Do.	20	N 24 E	18	18	Do.	9	S 57 E	8	26, 27, 28, 29	Do.	20	S 13 E	2	2
F	Do.	18	S 24 E	22	21	Do.	20	S 14 E	25	25	Do.	8	S 9 E	27	Do.	8	S 80 E	11	11	
G	Do.	17	S 3 N	15	15	Do.	11	S 29 E	23	23	Do.	10	S 34 E	31	Do.	10	S 28 E	11	11	
H	Do.	10	S 14 E	14	14	Do.	11	S 24 E	20	20	Do.	17	S 25 E	11	Do.	17	S 25 E	11	11	
I	Do.	10	S 30 E	30	30	Do.	13	S 51 E	10	10	Do.	7	S 36 E	20	Do.	7	S 36 E	20	20	
J	Do.	10	S 31 E	7	7	Do.	13	S 71 E	14	14	Do.	7	S 10 E	19	Do.	7	S 10 E	19	19	
K	Do.	5	S 80 E	14	14	Do.	17	S 72 E	25	25	Do.	15	S 72 E	24	Do.	15	S 72 E	24	24	
L	Do.	6	S 77 E	27	27	Do.	8	S 13 E	18	18	Do.	11	S 75 E	20	Do.	11	S 75 E	20	20	
M	Sugar	15	S 12 E	37	37	Do.	30	S 15 E	15	15	Do.	0	S 5 E	23	Do.	0	S 5 E	23	23	
N	Do.	12	S 80 E	25	25	Do.	7	S 50 E	20	20	Do.	6	S 3 E	7	Do.	6	S 3 E	7	7	
O	Do.	4	S 67 E	9	9	Do.	6	S 11 E	31	31	Do.	9	S 18 E	30	Do.	9	S 18 E	30	30	
P	Do.	5	S 77 E	14	14	Do.	6	S 71 E	14	14	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
Q	Do.	7	S 84 E	37	37	Do.	10	S 25 E	24	24	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
R	Do.	15	S 89 E	32	32	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
S	Do.	9	S 87 E	7	7	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
T	Do.	22	S 89 E	39	39	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
U	Do.	22	S 85 E	15	15	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
V	Do.	11	S 77 E	11	11	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
W	Do.	15	S 82 E	18	18	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
X	Do.	10	S 30 E	25	25	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
Y	Sugar	20	S 25 E	21	21	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	
Z	Do.	5	S 35 E	13	13	Do.	5	S 51 E	11	11	Do.	15	S 58 E	20	Do.	15	S 58 E	20	20	


Quality of the Land

Quality
1-15 Good
16-20 Poor
21-25 Broken
26-30 Good for farming
31-35 Flat, Rock, Maple, Gum & Oak
36-40 Rolling, Rock, Oak, Sugar &
41-45 do
46-50 do
51-55 do
56-60 do




Township N. 8 E. Range N. 8 E. 2 PM

True copy
Jared Mansfield
Sec. 21



86 Township 14th North, Range 11th East of 2nd Meridian



Township N° 8 North Range N° 8 East of 2nd Mer


[INDIANA]

23

						a 160.00 a 160.00 a 160.00 a 78.80 a 57.16				
						Sec 23		Sec 24		
						a 160.00	a 80.60	a 77.88	a 53.70	a 28.30
						Sec 25		Sec 26		
						a 160.00	a 160.00	a 91.52	a 55.40	a 33.18
						Sec 27		Sec 28		
						a 160.00	a 160.00	a 80	a 77.30	a 54.30
						Sec 29		Sec 30		
						a 160.00	a 160.00	a 160	a 79.50	a 53.78
						Sec 31		Sec 32		
						a 160.00	a 160.00	a 160	a 79.50	a 53.78
						Sec 33		Sec 34		
						a 160.00	a 80.18	a 76.58	a 52.65	a 32.70



T. N. 8 North, Range N. 8 East 2nd Mer.



Ex. 2 v. 5. Cin. L.C.

The foregoing subdivisions of fractional sections, are truly copied from the original plat in this office.
 Surveyor General's Office
 Cincinnati October 19th 1833.

Sam. Williams,
 ch. clk.

Compared

1

A hand-drawn survey map showing several land parcels. The map includes a diagonal line and a horizontal line. The parcels are labeled with handwritten text indicating acreage and section numbers.

- Top right parcel: A 160 A 103.20
Sec. 21
A 160. A 114.25
- Middle left parcel: A 160 A 107.64 A 77.26
Sec. 29
- Middle right parcel: A 59.49 A 71.16 A 80.00
Sec. 28
- Bottom left parcel: A 78.82 A 56.24
Sec. 30
- Bottom right parcel: A 160 A 160
Sec. 31
- Bottom center parcel: A 57.30 A 80. A 160.
Sec. 31
- Bottom left parcel: A 160
- Bottom right parcel: A 160

The image contains two separate hand-drawn diagrams of triangles, each with handwritten labels.

The top diagram shows a triangle with a horizontal base and a vertical line segment from the top vertex to the base, dividing it into two right-angled triangles. The labels are as follows:

- Top-left side: $A. 62.56$
- Top-right side: $A. 71.73$
- Bottom-left side: $A. 160$
- Bottom-right side: $A. 160$
- Bottom-left side (labeled $Ser. 21$): $A. 115.68$
- Bottom-right side (labeled $Ser. 22$): $A. 160$

The bottom diagram shows a triangle with a horizontal base and a vertical line segment from the top vertex to the base, dividing it into two right-angled triangles. The labels are as follows:

- Top-left side: $A. 57.48$
- Bottom-left side: $A. 115.48$
- Bottom-right side: $A. 160$
- Bottom-left side (labeled $Ser. 12$): $A. 160$

A 67.18
 A 58.16 A 68.68
 Sec. 9 A 75.08
 A 112.07 A 160
 Sec. 10 A 160
 A 69.29 A 80. A 160.00
 Sec. 3
 A 100.95
 Sec. 2
 A 13.28
 Township IV, 9N, Range 2E
 A 66.75

A hand-drawn diagram of a trapezoidal field divided into sections. The top boundary is a straight line with points labeled A62.35, A56.28, A50.00, and A160. The bottom boundary is a straight line with points labeled A118.44, A180, A160, and A160. The left boundary is a straight line. The right boundary is a straight line. The interior is divided into sections by a vertical line and a diagonal line. The diagonal line is labeled "Sec. 14" and the vertical line is labeled "Sec. 13".

A160 A160.

Sec. 15

A160. A160.

S 74.08
 Sec. 36
 N 26.36
 S 75.00 E 80.00

Diagram illustrating a geological cross-section or profile, showing a slope and a stepped profile.

Left Profile (Slope):

- Section: Sec. 33
- Points (from bottom to top):
 - 85.64
 - 81.90
 - 107.96
 - 49.75

Right Profile (Stepped Profile):

- Section: Sec. 34
- Points (from bottom to top):
 - 80.00
 - 160
 - 160

Hand-drawn survey map showing sections of land with area measurements in acres (A.).

- Section 5 (Top Left):** Contains a checkmark and area measurements: $A. 26.07$, $A. 53.40$, $A. 91.06$.
- Section 4 (Top Right):** Contains area measurements: $A. 79.47$, $A. 77.56$, $A. 82.20$.
- Section 7 (Bottom Left):** Contains area measurements: $A. 57.29$, $A. 75.75$, $A. 80.07$, $A. 13.25$, and $A. 160.$.
- Section 8 (Bottom Right):** Contains area measurements: $A. 160.$, $A. 160.$, and $A. 160.$.

Diagram illustrating a triangular plot divided into sections, with boundary measurements and section labels:

- Top section: Sec. 29
- Middle section: Sec. 30
- Bottom section: Sec. 31
- Left boundary measurements (from top to bottom):
 - A 55.23
 - A 92.36
 - A 184.72
- Right boundary measurements (from top to bottom):
 - A 160
 - A 160

